

AMENDED

NO. 62618

**APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office NOV 25 1996
Returned to applicant for correction DEC 17 1996
Corrected application filed JAN 06 1997
Map filed JAN 06 1997

The applicant Jerry Dean, hereby makes application for permission to change the Point of Diversion, Place of Use and Manner of Use of a portion of water heretofore appropriated under Permit No. 10409, Certificate No. 2779

1. The source of water is an underground source
2. The amount of water to be changed 0.013 cfs not to exceed 9.8 acre feet
3. The water to be used for Quasi-Municipal purposes
4. The water heretofore permitted for Irrigation and domestic
5. The water is to be diverted at the following point within the SE $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 23, Township 22 South, Range 60 East, M.D.B.&M. at a point that bears North 44° 00' West a distance of 1050.0 feet from the South Quarter (S $\frac{1}{4}$) corner of said Section 23.
6. The existing permitted point of diversion is located within SW $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 6, T.21S., R.61E., M.D.B.&M., at points from which the East Quarter (E $\frac{1}{4}$) corner of said Section 6 bears S. 89°17'30"E. 2,632 ft; S. 81°23'E. 2,329 ft; S. 87°52'E. 2,318 ft; being 3 wells Nos. 21, 22 and 148 as designated by the State Engineer.
7. Proposed place of use within the SE $\frac{1}{4}$ SW $\frac{1}{4}$ and within the SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 23, Township 22 South, Range 60 East, M.D.B.&M.
8. Existing place of use within the SW $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 6, T.21S., R.61E., M.D.B.&M. (1.96 acres to be removed from irrigation)
9. Use will be from January 1 to December 31 of each year.
10. Use was permitted from January 1 to December 31 of each year.
11. Description of proposed works wells, pumps, pressure tank and distribution pipeline
12. Estimated cost of works \$30,000.00
13. Estimated time required to construct works 5 years
14. Estimated time required to complete the application of water to beneficial use 5 years

62618

15. Remarks: Several office/warehouse and other light industrial businesses will be served with a distribution pipeline

By s/Stephen F. Turner
Stephen F. Turner
1210 Hinson Street
Las Vegas, NV 89102

Compared my/cms

Protested _____

DENIAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby ~~grant~~ the same, subject to the following limitations and conditions:
deny

Application 62618 is hereby denied on the basis that the base permit supporting the change application is forfeited; thus no water right exists that can be changed by Application 62618.

Work must be prosecuted with reasonable diligence and be completed on or before: _____

Proof of completion of work shall be filed before: _____

Application of water to beneficial use shall be filed on or before: _____

Proof of the application of water to beneficial use shall be filed on or before: _____


Map in support of proof of beneficial use shall be filed on or before: _____

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 19th day of August, A.D. 1997


State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____